

**New strain of MRSA discovered**  
*Antibiotic resistant bacteria found in both humans and dairy cows*

Scientists have identified a new strain of methicillin-resistant *Staphylococcus aureus* (MRSA) which occurs both in human and dairy cow populations.

The study, led by Dr Mark Holmes at the University of Cambridge, identified the new strain in milk from dairy cows while researching mastitis (a bacterial infection which occurs in the cows' udders).

The new strain's genetic makeup differs greatly from previous strains, rendering the 'gold standard' tests used to identify MRSA - a polymerase chain reaction technique (PCR) and slide agglutination testing - obsolete. The research findings are published today in the journal *The Lancet Infectious Diseases*.

Dr Laura García-Álvarez, first author of the paper, who discovered the new strain while a PhD student at the University of Cambridge's Veterinary School, said: "To find the same new strain in both humans and cows is certainly worrying. However, pasteurization of milk will prevent any risk of infection via the food chain. Workers on dairy farms may be at higher risk of carrying MRSA, but we do not yet know if this translates into a higher risk of infection as many individuals carry MRSA - typically in their noses - without becoming ill."

The scientists discovered the antibiotic resistant strain while researching *S. aureus*, a bacterium known to cause bovine mastitis. Despite the strain being able to grow in the presence of antibiotics, when they attempted to use the standard molecular tests available - which work by identifying the presence of the gene responsible for methicillin resistance (the *mecA* gene) - the tests came back negative for MRSA.

When Dr Matt Holden, at the Wellcome Trust Sanger Institute, sequenced the entire genome (decoding all of the genes in the bacteria's DNA) they realised that the new strain possessed unconventional DNA for MRSA. They found that the new strain does have a *mecA* gene but with only 60% similarity to the original *mecA* gene. Unfortunately, this results in molecular tests (which identify MRSA by the presence of the *mecA* gene) giving a false negative for this strain of MRSA.

Subsequent research revealed that the new strain was also present in humans. During the study, the new strain was found in samples from Scotland, England and Denmark (some from screening tests and others from people with MRSA disease). It has since been identified in Ireland and Germany. Additionally, by testing archived *S. aureus* samples, the researchers have also identified a recent upward trend in the prevalence of the antibiotic resistant bacteria.

Dr Mark Holmes said: "The majority of MRSA testing in British hospitals is performed by seeing if the bacteria will grow in the presence of antibiotics, typically oxacillin and cefoxitin, rather than methicillin - which is now no longer manufactured. This type of testing detects both the new MRSA and conventional MRSA.

“However, it is important that any of the MRSA testing that is based on detection of the *mecA* gene - i.e. PCR based testing, or slide agglutination testing - be upgraded to ensure that the tests detect the new *mecA* gene found in the new MRSA. We have already been working with public health colleagues in the UK and Denmark to ensure that testing in these countries now detects the new MRSA.”

The new research also raises questions about whether cows could be a reservoir for the new strains of MRSA.

Dr Holmes added: “Although there is circumstantial evidence that dairy cows are providing a reservoir of infection, it is still not known for certain if cows are infecting people, or people are infecting cows. This is one of the many things we will be looking into next.

“Although our research suggests that the new MRSA accounts for a small proportion of MRSA – probably less than 100 isolations per year in the UK, it does appear that the numbers are rising. The next step will be to explore how prevalent the new strain actually is and to track where it is coming from. If we are ever going to address the problem with MRSA, we need to determine its origins.”

With funding from the Medical Research Council, the researchers will next be undertaking prevalence surveys in people and in dairy cattle in the UK to determine how much new MRSA is present in these populations. They will also be performing an epidemiological study on farms to identify any factors that may be associated with infection by the new MRSA, to look for further new MRSA strains, and to explore the potential risks of the new strain to farm workers.

**-Ends-**

**For additional information please contact:**

Genevieve Maul, Office of Communications, University of Cambridge

Tel: direct, +44 (0) 1223 765542, +44 (0) 1223 332300

Mob: +44 (0) 7774 017464

Email: [Genevieve.maul@admin.cam.ac.uk](mailto:Genevieve.maul@admin.cam.ac.uk)

**Notes to editors:**

1. The paper ‘Meticillin-resistant *Staphylococcus aureus* with a novel *mecA* homologue emerging in human and bovine populations in the UK and Denmark: a descriptive study’ will be published by *The Lancet Infectious Diseases* on Friday, 03 June.
2. Q&A are available upon request
3. For almost 100 years the **Medical Research Council** has improved the health of people in the UK and around the world by supporting the highest quality science. The MRC invests in world-class scientists. It has produced 29 Nobel Prize winners and sustains a flourishing environment for internationally recognised research. The

MRC focuses on making an impact and provides the financial muscle and scientific expertise behind medical breakthroughs, including one of the first antibiotics penicillin, the structure of DNA and the lethal link between smoking and cancer. Today MRC funded scientists tackle research into the major health challenges of the 21st century. [www.mrc.ac.uk](http://www.mrc.ac.uk)